UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/558,849	11/30/2005	Hans-Erik Hansson	P/1830-18	7097
	7590 03/10/200 FABER GERB & SOF	EXAMINER		
1180 AVENUE OF THE AMERICAS			RODRIGUEZ, WILLIAM H	
NEW YORK, NY 100368403			ART UNIT	PAPER NUMBER
			3741	
			MAIL DATE	DELIVERY MODE
			03/10/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/558,849	HANSSON, HANS-ERIK			
Office Action Summary	Examiner	Art Unit			
	William H. Rodríguez	3741			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	-· action is non-final.				
<i>;</i> —	<del>_</del>				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
		3.3.2.3.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-21</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-21</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Annelline Alien Demana					
Application Papers					
9) The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>30 November 2005</u> is/ar		-			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:		(-) (-)			
·— ·—	1.⊠ Certified copies of the priority documents have been received.				
	<u> </u>				
	• • • • • • • • • • • • • • • • • • • •				
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).				
* See the attached detailed Office action for a list of the certified copies not received.					
Oce the attached detailed Office action for a list of the certified copies flot received.					
Attachment(s)					
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Notice of Draftsperson's Patent Drawing Review (PTO-948)  Paper No(s)/Mail Date  Notice of Informal Patent Application					
Paper No(s)/Mail Date <u>11/30/2005</u> . 6) Other:					

Application/Control Number: 10/558,849

Art Unit: 3741

DETAILED ACTION

Page 2

This is the first office action in response to the preliminary amendment filed on 11/30/2005.

**Drawings** 

1. The drawings are objected to because solid black shading is not permitted. See

37CFR 1.84 (m). Appropriate correction is required. Corrected drawing sheets in compliance

with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the

application. Any amended replacement drawing sheet should include all of the figures appearing

on the immediate prior version of the sheet, even if only one figure is being amended. The figure

or figure number of an amended drawing should not be labeled as "amended." If a drawing

figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and

where necessary, the remaining figures must be renumbered and appropriate changes made to the

brief description of the several views of the drawings for consistency. Additional replacement

sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet

submitted after the filing date of an application must be labeled in the top margin as either

"Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not

accepted by the examiner, the applicant will be notified and informed of any required corrective

action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

2. Claim 21 is objected to because of the following informalities:

3. The recitation "com-pressed" is presumed to be --compressed-- for proper clarity.

Appropriate correction is required.

Application/Control Number: 10/558,849 Page 3

Art Unit: 3741

## Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 1-21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter which applicant regards as

the invention.

6. Claim 1 recites the limitation "the gas stream" in lines 12-13. It is unclear if this

recitation "the gas stream" is referring back to "the gas flow stream" in line 4 or to "the gas

stream" in line 11. Appropriate correction is required.

7. Claim 1 recites the limitation "the stream" in line 13. It is unclear if this recitation "the

stream" is referring back to "the gas flow stream" in line 4 or to "the gas stream" in line 11.

Appropriate correction is required.

8. Regarding claim 6, the phrase "can" in line 3 renders the claim indefinite because it is

unclear whether the limitation(s) following the phrase are in fact performed by the invention, and

are part of the invention or if such recitation "can" is just a possible result that may or may not

happen. Appropriate correction is required.

9. Regarding claim 6, the phrase "possibly" in line 3 renders the claim indefinite because it

is unclear whether the limitation(s) following the phrase are in fact performed by the invention,

and are part of the invention or if such recitation is just a possible result that may or may not

happen. Appropriate correction is required.

10. Claim 8 recites the limitation "the inlet guide vanes" in line 2. There is insufficient

antecedent basis for this limitation in the claim. Appropriate correction is required.

Art Unit: 3741

- 11. Regarding claim 8, the phrase "may" in line 4 renders the claim indefinite because it is unclear whether the limitation(s) following the phrase are in fact performed by the invention, and are part of the invention or if such recitation is just a possible result that may or may not happen. Appropriate correction is required.
- 12. Claim 17 recites the limitation "the lead guide vane" in line 3. There is insufficient antecedent basis for this limitation in the claim. Appropriate correction is required.
- 13. Claim 17 recites the limitation "the axle's rotational speed" in line 3. There is insufficient antecedent basis for this limitation in the claim. Appropriate correction is required.
- 14. Claim 18 recites the limitation "the second gas turbine group's transmission" in line 3. There is insufficient antecedent basis for this limitation in the claim. Appropriate correction is required.

## Allowable Subject Matter

15. Claims 1-21 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

With respect to claim 1, the following is an examiner's statement of reasons for allowance: the prior art of record neither discloses nor makes obvious the combination set forth in the independent claims, and especially does not show "a second gas turbine group, including a combustion device, which is placed in the gas flow stream between the first group's compressor and turbine, a first flow of water and/or steam is heated with heat from the flue gas from the first group's turbine, further amounts of water and/or steam are heated with heat from a gas stream that is compressed by the first group's compressor, and the produced water and/or steam is injected into the gas flow stream in such amounts that at least 60% of the oxygen content of the

Art Unit: 3741

air in the gas flow stream is consumed through combustion in the combustion device, and in that the combustion gas that is fed into the turbine of the second gas turbine group has a pressure in the range 50-300 bar", in combination with the other claim limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Rodríguez whose telephone number is 571-272-4831. The examiner can normally be reached on Monday-Friday 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Cuff can be reached on 571-272-6778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/558,849 Page 6

Art Unit: 3741

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William H. Rodríguez/ Primary Examiner, Art Unit 3741